

Northern Collection




 **JOHNSON[®]TILES**
NOT JUST TILES, LIFESTYLES.[®]

20cm X 30cm Wall Concepts



20X30 CM




NEW

EIRA WH SILVER




NEW

SALINA WH SILVER




NEW

MARBELLA WH SILVER



NEW

MARCOS WH SILVER




NEW

ISLA WH SILVER



NEW

FERN WH SILVER



GREY
30x30 cm MATCHING FLOOR TILE



LENOX CREMA
30x30 cm MATCHING FLOOR TILE



LENOX BLANCO
30x30 cm MATCHING FLOOR TILE



NEW

EIRA IV GOLD




NEW

SALINA IV GOLD




NEW

MARBELLA IV GOLD




NEW

MARCOS IV GOLD



NEW

ISLA IV GOLD



NEW

FERN IV GOLD




IRIS IVORY BROWN
30x30 cm MATCHING FLOOR TILE




AJMER IVORY PLUS
30x30 cm MATCHING FLOOR TILE



NEVADA IVORY BROWN
30x30 cm MATCHING FLOOR TILE



HAWANA CREMA



HAWANA CREMA



HAWANA BIANCO



HAWANA COFFEE



HAWANA MAGENTA



HAWANA VERDE



NEWGRIP WHITE GREY
30x30 cm MATCHING FLOOR TILE



QUARTZ PINK
30x30 cm MATCHING FLOOR TILE



QUARTZ GREEN
30x30 cm MATCHING FLOOR TILE



20X30 CM



ALBETO WHITE GREY MAGENTA




GARDENIA COFFEE




GARDENIA SILVER




ALBETO WHITE GREY BLUE



GARDENIA BLACK COFFEE



GARDENIA BLUE



QUARTZ GREY
30x30 cm MATCHING FLOOR TILE



LENOX GRIS
30X30 CM MATCHING FLOOR TILE



ALPINE BLUE
30x30 cm MATCHING FLOOR TILE



BOTTICHINO IVORY BROWN



MARFIL CREMA



MARZIO COFFEE




BOTTICHINO BROWN BEIGE



MARFIL COTTO



MARZIO COFFEE COFFEE



LENOX TAN
30x30 cm MATCHING FLOOR TILE



LENOX BROWN
30x30 cm MATCHING FLOOR TILE



LENOX BROWN
30x30 cm MATCHING FLOOR TILE




SOFFI SKY



SOFFI GOLD




SOFFI BLUE




SOFFI BRONZ



LENOX BLUE
30X30 CM MATCHING FLOOR TILE



IVORY
30x30 cm MATCHING FLOOR TILE




DREAMZ GREY




DREAMZ BROWN




METROPOL IVORY GOLD PLUS




DREAMZ BLACK



DREAMZ COTTO



WHITE
30x30 cm MATCHING FLOOR TILE



IVORY
30x30 cm MATCHING FLOOR TILE



LENOX TAN
30X30 CM MATCHING FLOOR TILE



20X30 CM



VENICE LIGHT GREEN



VENICE LIGHT BROWN



TOPAZ WHITE LILAC



VENICE DARK GREEN



VENICE DARK BROWN



TOPAZ IVORY GOLD



QUARTZ GREEN
30x30 cm MATCHING FLOOR TILE



LENOX BROWN
30X30 CM MATCHING FLOOR TILE




LENOX BLANCO
30X30 CM MATCHING FLOOR TILE



ROSSO IVORY BROWN PLUS



BIJLEE IVORY



WHITE




RENALTA IVORY BROWN PLUS




BIJALEE IVORY GOLD PLUS




TULIP WHITE GY BL




IVORY
30x30 cm MATCHING FLOOR TILE




IVORY
30x30 cm MATCHING FLOOR TILE




WHITE
30x30 cm MATCHING FLOOR TILE




WHITE




IVORY



WHITE



WHITE
30x30 cm MATCHING FLOOR TILE



IVORY
30x30 cm MATCHING FLOOR TILE



LENOX BLANCO
30x30 cm MATCHING FLOOR TILE




GREY



NEW BLUE



LENOX BLANCO
30x30 cm MATCHING FLOOR TILE



WHITE
30x30 cm MATCHING FLOOR TILE




WHITE & TULIP WHITE GREY BLUE




20X30 CM


FLOORING OPTIONS - MATT FLOOR TILES (30X30cm)



WHITE



GREY



IVORY



DERBY BROWN



ANCARA IVORY BROWN



ANCARA WHITE GREY



IRIS IVORY BROWN



NEVADA IVORY BROWN



NEVADA WHITE GREY



ALTIS AQUA BLUE



ALPINE BLUE



BLACK GRANITE



QUARTZ BLUE



QUARTZ GREEN



QUARTZ IVORY



QUARTZ PINK



QUARTZ GREY



QUARTZ PEACH



QUARTZ SAND BROWN



QUARTZ WHITE

FLOORING OPTIONS - RECTIFIED FLOOR TILES (30X30cm)



LENOX BEIGE



LENOX BLANCO



LENOX BLUE



LENOX BROWN



LENOX CREMA



LENOX GRIS



LENOX PINK



LENOX TAN




LENOX VERDE



NEWGRIP PINK




NEWGRIP WHITE GREY



IVORY

FLOORING OPTIONS - RUSTIC TILES (30X30cm)



WHITE



AJMER IVORY PLUS



BASALT BROWN



JODHPUR BEIGE



SHALE WHITE



BIKANER RED



ELLORA BLACK



SKODA COFFEE



20X30 CM

Technical Specifications

S. No	Property	International Standard ISO 13006 / EN 14411 Group BIII Requirement	Indian Standard IS 15622:2017 Group B III Requirement	Johnson Wall (Rectified) Value	Test Method
	Dimensions & Surface Quality				
1	Deviation in Length & Width	± 0.5% or ±2.0mm	UR - ± 0.4 %, R - ± 0.2 %	± 0.4 %	ISO 10545-2 / IS 13630-1
2	Deviation in Thickness	± 10% or ± 0.5mm	± 5 %	± 5 %	ISO 10545-2 / IS 13630-1
3	Straightness of Sides	± 0.3% or ±1.5mm	UR - ± 0.2 %, R - ± 0.15 %	± 0.2 %	ISO 10545-2 / IS 13630-1
4	Rectangularity	± 0.5% or ± 2.0mm	UR - ± 0.3 %, R - ± 0.2 %	± 0.3 %	ISO 10545-2 / IS 13630-1
5	Surface Flatness	± 0.5%/-0.3% or +2.0mm/-1.5mm	± 0.3 %	± 0.3 %	ISO 10545-2 / IS 13630-1
6	Surface Quality	Min 95% free from visible defects	Min 95% free from visible defects	> 95% free from visible defects	ISO 10545-2 / IS 13630-1
	Physical Property				
7	Water Absorption	E > 10%	Avaerage > 10%	E > 10%	ISO 10545-3/ IS 13630- 2
8	Modulus of Rupture	≥ 15 N/mm ²	12 N/mm ² , Min for Thickness ≥ 7.5 mm and 15 N/mm ² Min for Thickness < 7.5 mm	≥ 12 N/mm ² , for Thickness ≥7.5 mm and 15 N/mm ² for Thickness < 7.5 mm	ISO 10545-4/ IS 13630-6
9	Breaking Strength	≥ 600 N	200 N, Min for thickness < 7.5 mm, 600 N Min for thickness ≥ 7.5 mm	≥ 200 N, for thickness < 7.5 mm, ≥ 600 N for thickness ≥ 7.5 mm	ISO 10545-4 / IS 13630-6
10	Moisture expansion	Report value	0.4 mm/m, Max	≤ 0.4 mm/m	ISO 10545-10 / IS 13630-3
11	Scratch hardness of surface (Moh's scale)	Not Required	3, Min	≥ 4	EN 101/ IS 13630 -13
12	Impact Resistance Coefficient of Restitution	Report value	0.55, mm	≥ 0.55	ISO 10545-5 /IS 13630 -14
13	Coefficient of Linear Thermal Expansion	Report value	Max, $9 \times 10^{-6} \text{ K}^{-1}$	≤ $9 \times 10^{-6} \text{ K}^{-1}$	ISO 10545-8/ IS 13630-4
14	Thermal Shock Resistance	Report result	10 cycles Min	No Damage	ISO 10545-9 / IS 13630 -5
15	Crazing Resistance of Glazed Tiles	Report result	4 cycles @7.5 bar Min	No Damage	ISO 10545-11/ IS 13630-9
16	Chemical Property (cleansers except to cleansing agents containing Hydrofloric acids and its compounds)				
a	Resistance to Staining - Glazed Tiles	Class 3	Class 1, Min	Class 3, (ISO)/ Class 1 (BIS)	ISO 10545-14 / IS 13630-8
b	Resistance to Household Chemicals and Swimming Pool water cleansers	GB	AA	GA/AA	ISO 10545-13 / IS 13630-8
c	Resistance to acids and alkalis (Glazed Tiles)	Report result	Report result	GA	ISO 10545-13 /IS 13630 -8
17	Color Resistance to UV light	Report value	-	No change in color	DIN 51094
18	Lead & Cadmium Release- for Glazed Tiles, where required	Report value	-	Nil	ISO 10545-15

* ISO / IS technical specifications for Johnson tiles are applicable only for premium /1st Quality tile
Please inspect all tiles prior to installation, company will not entertaining complaints once tiles are laid/ fixed

Packaging Details

Product	Nominal Size (cm)	No of Tiles/Box	Approx Area/Box (sq m)	Approx Weight/Box (kgs)	Approx Cartons/ 20' Container	Approx Area per Container (sq m)
Johnson 20x30 Non Digital Wall Tiles	20x30	15	0.9	10.1	2673	2406
Johnson 30x30 Non Digital Floor Tiles	30x30	10	0.9	14.0	1928	1735

You can reach us at

Region	Branch	Tel.:
WEST	Ranchi	9798845560
	Siliguri	9836065812
	Guwahati	9127066591
	Mumbai - Bandra to Dahanu	022 - 30647500/26547300
	Mumbai - Central	022 - 30647500/26547300
NORTH	Thane to Raigad	022 - 30246600
	Pune	020-41301164/31/61/63
	Ahmedabad	079-30072051/52/53/54/55
	Indore	0731-4007441
	Jalandhar	01824-505038/39
	Chandigarh	0172 - 4697100 / 4656940
SOUTH	Delhi	011-49526600
	Jaipur	0141-2333922
	Ghaziabad	0120-4110377
	Lucknow	0522- 4025128/4065471/4026028
	Patna	0612-2254252
	Bangalore	080-25446841/42/43/46
	Hyderabad	040-29802270/71/72
	Vijayawada	0866-2543616/17
	Vishakapatnam 0891-2796376	
	Tirupathi	0877-3254151
	Chennai	044-28544116/28541881
	Coimbatore	0422-2540501/2548439
	Salem	0427-2280636/2280637/2280639
	Madurai	0452-4355584/4355594
	Tuticorin	0461-2271558/2278585
	Trichy	0431-2904730/40/50
	Ernakulam	0484-4098500/509/510
	Calicut	0495-2702505/2301474
	Trivandrum	0471-2551141

Exclusive Company Display Centres

Branch	Address	Tel.:
Thane	Shop No.5, Gr.Floor, Cosmos Jewels, Near Dmart, Anand Nagar, Ghodbunder Road, Thane (W) -400615	8424003247
Coimbatore	Elysium Towers, Park Gate Road, ATT Colony, Gopalapuram, Coimbatore	0422 4382698 /8754446412
Guwahati	1'st Floor, Above Royal Riders Honda, Near Rahul Kata, Pub Bragaon, Garchuk, Guwahati - 781035	7604092937
Chennai	82, 84 & 86 Bascon Maeru, 1st Floor, Kodambakkam High Road, Nungambakkam, Chennai - 600034	9080545851/9445390095
Kolkata	83 JBS Haldane Avenue, TOPSIA Trinity Towers Kolkata - 700046	9073974324
Cochin	Door No. 11/30 Of, Next to VTJ Hyundai, NH 47 Kudanoor, Maradu, Ernakulam 682304	7034024075
Chandigarh	SCO 214, Sector 14, Panchkula, Haryana 134109	0172 4691000
Ahmedabad	F 106-107, Shivalak Plaza, IIM Road, Panjrapole Cross Road, Ahmedabad	9737049918
Calicut	14/51 F. Bismi Towers, Kallai Road, Calicut- 673 002	0495 2702505/ 2301474
Bhubaneshwar	229/5332, Gautam Nagar, Bhubaneshwar 751014	8249684001

For address and contact numbers of our Johnson Exclusive Showrooms and Authorized Retailers, please visit our website www.hrjindia.com

Toll Free No.: 1800-22-7484 **E-mail :** tiles.customer@prismjohnson.in
For Export Enquiries, Email : exports.customer@prismjohnson.in



PRISM JOHNSON LIMITED

(FORMERLY PRISM CEMENT LIMITED)

H & R JOHNSON (INDIA) DIVISION

Corporate Office : 7th Floor, Windsor, C. S. T. Road, Kalina, Santacruz (East), Mumbai - 400 098, India.

Tel.: +91-22- 4064 7300 **Website :** www.hrjindia.com **Export Website :** www.prismtiles.com

Registered Office : 305, Laxmi Niwas Apartments, Ameerpet, Hyderabad - 500016, Telangana, India.

Colors shown are as accurate as the limitations of the printing process will allow. Prospective customers are advised to inspect a sample of the tile before ordering. Every effort has been made to ensure the accuracy of the information given. However, the company reserves the right to change the specifications without prior notice. Sometimes, variations in shade or size may occur which is inherent to the ceramic industry. Before fixing the tiles, we urge you to read and follow the fixing instructions given on the carton box of the tiles. The company will not take any responsibility and will not accept any complaints of shade, size or planarity once the tiles have been fixed.

Although every effort is made to ascertain that all the information provided in this brochure is accurate before printing, errors may still happen. Please contact the local branch office for updated information before placing orders. The information contained in this catalog is given in good faith. The Company takes no liability on account of any loss or damage either consequential or otherwise as a result of the information provided therein.

View our Tile informative videos



Scan this QR code
to view our videos



Download Johnson Tiles Mobile App



Scan this QR code to download
Android version app



Scan this QR code to download
iOS version app

