



Introduction	.03
120 X 60 cm DC (RAJKOT)	.04
120 X 60 cm Solid Surface Full Body (RAJKOT)	.22
80 X 80 cm DC (RAJKOT)	.32
60 X 60 cm DC	.44
60 X 60 cm Twin White	.54
Packing details	62

The marvel of modern vitrification technology, the Johnson Marbonite range is superior to its natural counterparts both aesthetically and functionally. Not only are they easier to install, but also are easier to maintain and don't need re-polishing for many years unlike natural marble. What's more the Marbonite Double Charge & Full body range comes with the StainFree property that makes them easier to maintain and looking fresh for years.

WHAT IS STAIN FREE?

Schematic representation of how Marbonite StainFree works.

Schematic representation of enhancement of gloss.



In ordinary vitrified tile micro pores cause scattering of incidence light, resulting in loss of reflection



Flatter surface of Marbonite StainFree tile (without micro pores) results in enhanced reflection, adding more gloss to the surface

PREFERRED OVER ITALIAN MARBLE

All vitrified tiles have micro pores on their surfaces. In spite of continuous cleaning dirt particles can get accumulated in these pores causing stubborn stains on the surface. The StainFree technology seals the micro pores thus limiting the chances of dirt accumulation and stains and making maintenance easier therefore. Elimination of micro pores also enhances the reflectivity of the tile surface, adding to its lustre.

FOR UV REFERENCE



VENEZIA BLONDE - POLISH



VENEZIA BLONDE - MATT







60x120 cm









ALBIZA GREY - POLISH



ALBIZA BEIGE - POLISH



ALBIZA WHITE - POLISH





ALBIZA NATURA - **POLISH**



ALBIZA ROSO - **POLISH**



ALBIZA BROWN - **POLISH**





ALBIZA NERO - POLISH



ALBIZA ROCK - POLISH



ALBIZA RUBY - POLISH





ALMAZE WHITE - POLISH



ALMAZE CREMA - POLISH




ALMAZE SLATE - POLISH





ALMAZE BROWN - POLISH



ALMAZE RUBY - POLISH



ALMAZE CHARCOAL - POLISH










ALTIS WHITE - POLISH



ALTIS BLACK - POLISH



ALTIS CREMA - POLISH





ALTIS GREY - POLISH



ALTIS NERO - POLISH



ALTIS ROSO - POLISH





ANGLO WHITE - POLISH



ANGLO MINT - POLISH



ANGLO GOLD - POLISH





ANGLO CARAMEL - POLISH



NERON SNOW - POLISH





SHALE BIANCO - POLISH



SNOW FLAIR - POLISH









PERLIN AZUL - POLISH



PERLIN BROWN - POLISH



PERLIN CREMA - POLISH









PERLIN NERO - POLISH




PERLIN SLATE - **POLISH**



PERLIN WHITE - POLISH










VENEZIA OLIVI - POLISH & MATT




VENEZIA BLONDE - POLISH & MATT



VENEZIA BUTTERNUT - POLISH & MATT





VENEZIA COAL - POLISH & MATT



VENEZIA SNOW - POLISH & MATT



VENEZIA BIANCO - POLISH & MATT





VENEZIA GREY - POLISH & MATT



VENEZIA NERO - POLISH & MATT

SOLID SURFACE [FULL BODY] 60 X 120 cm vitrified tiles







VANTA BLACK - POLISH & MATT





SUPER WHITE - POLISH & MATT



VERDE - POLISH & MATT



LIGHT GREY - POLISH & MATT





S & P IVORY - POLISH & MATT




S & P PASTEL BROWN - POLISH & MATT




S & P SNOW - POLISH & MATT





S & P SILVER - POLISH & MATT



S & P BLACK - POLISH & MATT



S & P CREMA - MATT







ROMAN AZUL - MATT





ROMAN FERN - MATT



ROMAN GOLD - MATT



ROMAN LILAC - MATT







80x80 cm









PALERO BEIGE - POLISH



PALERO WHITE - POLISH



PALERO GREY - POLISH



PALERO CREMA - POLISH



PALERO BROWN - POLISH









POLO GOLD - POLISH



ALBANO LEMON PLUS - **POLISH**



ALBANO WHITE PLUS - $\ensuremath{\text{POLISH}}$



POLO WHITE - POLISH




ALBANO ROSSEL PLUS - POLISH



ANGLO PLAZMA CHOCO - POLISH









ANGLO PLAZMA VERDE - POLISH



ANGLO PLAZMA GOLD - POLISH



ANGLO PLAZMA NERO - POLISH



ANGLO PLAZMA WHITE - POLISH



ANGLO MINT - POLISH



ANGLO PLAZMA ROSSEL - POLISH









ARNAVA GOLD - **POLISH**



ARNAVA BIANCO - **POLISH**



ARNAVA PINK - POLISH



ARNAVA CREMA - **POLISH**



ARNAVA NERO - POLISH



ARNAVA WHITE - POLISH





CALINA BROWN - POLISH



ELENTA COFFEE - POLISH



CALINA GREY - POLISH



ELENTA NERO - POLISH



ELENTA SNOW ALLURE - POLISH





SHALE BLANCO - **POLISH**



GENNY NERO - POLISH



GENNY CREMA - POLISH



GENNY SNOW - POLISH







60x60 cm









ALBITO LEMON - POLISH



ALBITO WHITE - POLISH



AMEO NERO - POLISH



ALBITO ROSSO - POLISH



ALBITO NERO - POLISH



ARISTA YELLOW - **POLISH**





ARTICA GRAPHITE - POLISH



BELLEVILLE MAROON - POLISH



ARTICA CEDAR - POLISH*



BRONZE GRANITO - POLISH



CELESTIA VERDE - POLISH





CESSNA MAGENTA - POLISH



DREAMS BROWN - POLISH



MAZDA SUPERWHITE - POLISH



DICOAST KOTA - POLISH




MAZDA BEIGE - **POLISH**



OLIO GRIS - $\ensuremath{\text{POLISH}}$





SALISBURY BEIGE - POLISH



SANDUNE GOLD - POLISH



SANDUNE SALMON - POLISH



SANDUNE CHOCO - POLISH



SANDUNE BEIGE - POLISH



SANDUNE SMOKE - POLISH





SANDUNE SLATE - POLISH



TRANSPLAY MIST - POLISH



TOSSETA BLANCO - POLISH*



WINSON WHITE - POLISH







RHOMBUS BLANCO - MATT



RHOMBUS JAISALMER - MATT





RHOMBUS PEACH - MATT



RHOMBUS CHARCOAL - MATT



RHOMBUS ASH - MATT




RHOMBUS TERRACOTTA - MATT



RHOMBUS IVORY - POLISH







JOHNSON MARBONITE PREFERRED OVER ITALIAN MARBLE





BALTORO - POLISH



GRINNELL - POLISH



ALASKA - POLISH



CARMIN - POLISH



MARGERIE - POLISH












MONTALINE - POLISH



PAMIR - POLISH

A journey from tiles to lifestyles measured in square feet

H&R Johnson (India) is a division of Prism Johnson Limited, one of India's foremost Integrated Building Materials conglomerates.



Established in 1958, Johnson is one of the oldest and trusted brands in the country. Built on the strong and unswerving foundations of quality and innovation, this trust has only grown in these decades gone by; and continues to grow. Starting with tiles, the brand soon diversified into offering lifestyle solutions in the realms of Engineered Marble & Quartz and Bath Solutions. Thereby becoming India's most Integrated Lifestyle Solutions brand. Every product that comes bearing the H&R Johnson insignia is a symbol of the same quality and innovation focused on adding value to the lives of our consumers.

Pioneering Innovations, A Way of Life

At H&R Johnson the term innovation is at the heart of everything we do. That's why it is backed by credible research. Every product attempts to fill in a void left by conventional offerings in the category, in an innovative manner. It's this value we place on cutting-edge innovation that makes us strive for more and eventually delivers more. A quality and a way of working that have redefined consumer lifestyles and expectations.

- Anti-skid & Water-repellent Tiles for Bathrooms
- Rectified Wall Tiles
- Johnson Marbonite Vitrified Wall and Floor Tiles
- Joint Free Tiles

- Large Format Slabs
- Digitally Printed Wall & Floor Tiles
- Germ Free Tiles & Sanitaryware
- Exterior & Industrial Flooring Solutions

India's Most Integrated Tile Manufacturing Company



Being India's most trusted tiling brand requires that trust to be maintained in every stage of developing each and every product that bears the name of the brand. That's why at H&R Johnson, our Feldspar Mines are Self-owned, the soluble salts and inks are manufactured in-house, and even the dies and punches are made in-house. All, so that every step in the process comes with the same quality and assurance, that you expect from us.

Manufacturing Excellence



Johnson has the most modern manufacturing units across strategic locations in India. Our manufacturing facilities employ the best technology from world leaders in tile manufacturing equipment. All our plants are ISO compliant with both 9001 and 14001 certifications as well as OH SAS 18001 certification.

MARBONITE TILE FIXING INSTRUCTIONS

1. Plaster the surface of the floor where the tiles will be laid with smooth finish and complete the plastering and curing at least two weeks prior to laying.

2. Before fixing Marbonite tiles, lay them out in the desired pattern and make sure that they give an acceptable blend of shade, colour and design. Please note that certain amount of shade and size variation is inherent in the manufacture of vitrified ceramic tiles. Certain products will have intentional shade or colour variation to get the natural and elegant look, which is an integral element of the design resembling naturally created veins or shaded effect.

3. The company bears no responsibility towards the tiles exposed to any outside process like transfers, printing, firing etc.

4. For fixing Marbonite, we recommend using an appropriate product from the range of tile fixing adhesives from the ARDEX ENDURA (INDIA) PVT. LTD. Please follow the adhesive manufacturer's recommendations and instructions for best results.

5. For fixing Marbonite tiles on the floor, using sand and cement, follow the instructions given below :

a) Use cement and sand mortar in the ratio of 1:4. Add some water to create a consistent paste.

b) Once the mixing has been completed do not add any further water and use the same within one hour.

c) Apply a 20-30 mm, layer of bedding material over an area of 1 square meter at a time on the surface of the area. Apply a fine slurry to the back of the tile to ensure proper and full bedding. Press gently for even adherence at the back of the tile.

DO NOT USE AN IRON HAMMER OR SOME HEAVY MATERIAL TO PRESS THE TILE.

6. For fixing Marbonite tiles on Wall / Dado, we recommend using an appropriate product from the range of tile fixing adhesives from the ARDEX ENDURA (INDIA) PVT. LTD. with proper troweling method for 100 per cent coverage behind the tiles and for peerless bonding. Please follow the adhesive manufacturer's recommendations and instructions for best results. We do not recommend the use of sand and cement for fixing on Dado.

7. Mark and lay out the tiles from the center of the area to be laid so that cut tiles, if any, will be on the outer edges towards the walls.

8. The work size which we try to maintain for better technical performance is 60 cm x 60 cm on average. It is advisable to maintain a gap of 1 mm to 2 mm between every tile to allow for possible expansion as per ISO tolerance norms.

9. Complete the laying process by pressing the cut Marbonite tiles firmly into place along the walls/floors.


10. Allow 3-4 days for bed curing. After this period fill the joints with cementitious or epoxy grouts from ARDEX ENDURA (INDIA) PVT. LTD. Use of grout sealant is recommended for keeping the grout free of dust.

11. Fifteen minutes after finishing the grouting process, wipe off excess grout with a damp sponge and polish the tiles with a soft and dry cloth for a clean surface. The tiles can also be cleaned with a mild acid (However, Hydrofluoric acid and its derivatives should not be used). You can also use tile & stone cleaners from ARDEX ENDURA (INDIA) PVT. LTD.

12. Please note that the company does not accept any liability in case of problems arising out of non-adherence to these fixing instructions.

13. THE COMPANY WILL BEAR NO RESPONSIBILITY AFTER THE TILES ARE FIXED.

14. Kindly look for an arrow (\rightarrow) on the back of the tile and follow the laying pattern as shown in Pic-1:-



NOTHING IN THESE INSTRUCTION IS A SUBSTITUTE FOR GOOD WORKMANSHIP AND SUPERVISION



Certifications



Johnson is India's largest tile manufacturer. It's commitment to quality, service and innovation is backed by certification from the world's leading accreditation bodies.

ISO 9001 : 2015

For implementing a Quality Management System for the Manufacture and Supply of Ceramic Tiles.

ISO 45001 : 2018 For implementing an Occupational Health & Safely Management System for the Manufacturing of Ceramic Tiles.

ISO 14001 : 2015

For implementing an Environmental Management system for the Manufacturing of Ceramic Tiles.

Certificate of Merit for Energy Conservation, Bureau of Energy Efficiency, Ministry of Power A Recognition for the efficient use of energy and its conservation.

Plant has received Safety award by National Safety Council

GreenPro is a product certification given by the Confederation of Indian Industry (CII) which signifies environmentally conscious life cycle of the production; certification for eco-friendly products that helps customers make an informed choice towards sustainable products.

Griha

Griha council is a joint initiative of Ministry of New and Renewable Energy, GOI and The Energy and Resources Institute of implement Griha, India's national rating system for sustainable habitats

TECHNICAL SPECIFICATIONS

S.No	Property	ISO 13006 :2018 / EN 14411 Group Bla Requirement	Indian Standard IS 15622:2017 Group Bla, Requirement	JOHNSON MARBONITE Value	Test Method
	Dimensions & Surface Quality	Whichever is less	Rectified edge		
1	Deviation in Length & Width	± 0.3% or ±2.0mm	± 0.1 %	± 0.1%	ISO 10545-2 / IS 13630-1
2	Deviation in Thickness	± 5% or ±0.5mm	± 5%	± 4%	ISO 10545-2 / IS 13630-1
3	Straightness of Sides	± 0.3% or ±0.8mm	± 0.1 %	± 0.1%	ISO 10545-2 / IS 13630-1
4	Rectangularity	± 0.3% or ±1.5mm	± 0.1 %	± 0.1%	ISO 10545-2 / IS 13630-1
5	Surface Flatness (Edge Curvature, Centre Curvature & Warpage)	± 0.4% or ±1.8mm	± 0. 5 %	± 0.15%	ISO 10545-2 / IS 13630-1
6	Surface Quality	Min 95% free from visible defects	Min 95% free from visible defects	>95% free from visible defects	ISO 10545-2 / IS 13630-1
	Physical Property				
7	Water Absorption	≤0.5%	Avaerage ≤0.08%, Individual Max 0.1%	≤ 0.05%	ISO 10545-3/ IS 13630-2
8	Modulus of Rupture	≥ 35 N/mm ²	Avaerage 35 N/mm ² , Individual 32N/mm ² , Min	≥ 38N/mm ²	ISO 10545-4/ IS 13630-6
9	Breaking Strength	≥ 1300 N	Min1300 N	≥ 1500 N	ISO 10545-4 / IS 13630-6
10	Moisture expansion	report value	0.02 mm/m, Max	≤ 0.02 mm/m	ISO 10545-10 / IS 13630-3
11	Scratch hardness of surface (Moh's scale)	Not Required	5, Min	≥5	IS 13630 -13
12	Coefficient of Linear Thermal Expansion	report value	Max, 6 x 10 ⁻⁶ K ⁻¹	$\leq 6 \times 10^{-6} \text{ K}^{-1}$	ISO 10545-8/ IS 13630-4
13	Thermal Shock Resistance	report result	10 cycles Min	No Damage	ISO 10545-9 / IS 13630 -5
14	Impact Resistance	report value	0.55, Min	≥ 0.55	ISO 10545-5 / IS 13630-14
15	Slip Resistance for Floor Application	report value	Manufacturer to declare	≥0.4	ANSI B101.3
16	Frost Resistance	report result	required if requested by purchaser	No Damage	ISO 10545-12 / IS 13630-10
17	Resistance to Deep Abrasion of Unglazed Tiles	≤ 175 mm ³	Max 140 mm ³	≤ 140mm ³	ISO 10545- 6 / IS 13630-12
18	Bulk Density (g/cc)	report value	2.2, Min	≥ 2.2	ISO 10545-3 / IS 13630-2
19	Color Resistance to UV light	report result	-	No change in color	DIN 51094
20	Chemical Property (cleansers except to cleansing agents containg Hydrofloric acids and its compounds)				
ä	a Resistance to Staining - Unglazed Tiles	report resistance class	Class 2, Min	Class 3 (ISO) /Class 2 (BIS)	ISO 10545-14 / IS 13630-7
	Resistance to Household Chemicals and Swimming Pool water cleansers - Unglazed tiles	UB	report resistance class	UA	ISO 10545-13 / IS 13630-7
	c Resistance to acids and alkalis (Unglazed Tiles)	report resistance class	report resistance class	UA	ISO 10545-13 /IS 13630 -7

*ISO / IS technical specifications for Johnson tiles are applicable only for premium / 1st Quality tile

Please inspect all tiles prior to installation, company will not entertain any complaints once tiles are laid / fixed

PACKAGING DETAILS

Product	Nominal Size (cm)	No. of Tiles / Box	Approx Area / Box (sq m)	Approx Weight / Box (kgs)	Approx Cartons / 20' Container	Approx Area per Container (sq m)
Marbonite 120x60	120x60	2	1.44	27.25	990	1426
Marbonite 80x80	80x80	3	1.92	37.5	720	1382
Marbonite 60x60	60x60	4	1.44	26.5	1018	1466

Exclusive Company Experience Centres

Location	Address	Tel.
Kolkatta	HOUSE OF JOHNSON - 83 JBS Haldane Avenue, TOPSIA Trinity towers Kolkata - 700046	033-46021880
Guwahati	HOUSE OF JOHNSON - 1st Floor, Above Royal Riders Honda, Near Rahul Kata, Pub Bragaon, Garchuk, Guwahati - 781035	8135846661/7575900492
Bhubaneshwar	HOUSE OF JOHNSON - 229/5332, Gautam Nagar, 1st Floor Bhubaneshwar, Orissa - 751014.229/5332, Gautam Nagar, Bhubaneshwar - 751014	0674-2430240
Thane	HOUSE OF JOHNSON - Shop No.5, Gr.Floor, Cosmos Jewels, Near Dmart, Anand Nagar, Ghodbunder Road, Thane West - 400615	8424003247
Pune	HOUSE OF JOHNSON - Sable House, Poona Snuff Factory, Sr. No 11A, Plot 408/4/5, Satara Road, Gultekadi, Pune - 411037	7350009364
Mumbai - Andheri	HOUSE OF JOHNSON - 1st flr, Bonanza, Sahar Plaza, Nr Hotel Kohinoor continental, J B Nagar, Andheri Kurla Road, Andheri East, Mumbai - 400059	8108030975
Ahmedabad	HOUSE OF JOHNSON - F 106-107, Shivalik Plaza, IIM Road, Panjrapole Cross Road, Ahmedabad, Gujarat - 380015	079-48480010
Indore	HOUSE OF JOHNSON - Shop No 5, 6, 7 and 8, Upper Ground Floor, Exotica, Shalimar Township, Village Niranjanpur, A.B. Road, Indore, Madhya Pradesh - 452001	0731-4988340/4007441
Raipur	HOUSE OF JOHNSON - 2nd Floor, MM Silver Plaza,Opp Udyog Bhawan, Ring Road - 1, Raipur, Chattisgarh - 492001	7714919129
Lucknow	HOUSE OF JOHNSON - 1st Floor, Prithvi Ratan Height,Plot No CP-4, Vijayant khand - 3, Gomtinagar Yojna, Lucknow - 226028	0522-2721699
Chandigarh	HOUSE OF JOHNSON - SCO 214, sector14, Panchkula, Haryana - 134109	0172-4691000
Varanasi	HOUSE OF JOHNSON - Ashakunj, 1st floor, D59/103 D4, Opp Siddharth Complex, Sigra Mehmoorganj Road, Varanasi - 221010	0542-2222620
Delhi	HOUSE OF JOHNSON - First & Mezzanine Floor, B-1/G- 3, Mohan Industrial Estate,Mathura Road, New Delhi - 110094.	9319244955
Coimbatore	HOUSE OF JOHNSON - Elysium Towers, Park Gate Rd, No. 21, ATT Colony, Gopalapuram, Coimbatore - 641018	0422-4382698
Chennai	HOUSE OF JOHNSON - 82, 84 & 86 Bascon Maeru, 1st floor, Kodambakkam High Road, Nungambakkam, Chennai - 600034	044-48611632
Kochi	HOUSE OF JOHNSON - oor no. 11/300 f, Next to VTJ Hyundai, NH 47 Kundanoor, Maradu, Kochi, Ernakulam - 682304	0484-4871277/ 4098555
Kozhikode	HOUSE OF JOHNSON - Tilal Tower, Near Nexa Showroom, Kudilthod, Malaparamba bypass,, Kozikode, Kerala - 673017	0495-2352474/ 2352752
Thiruvananthapuram	HOUSE OF JOHNSON -1st Floor, Sreedhanya Apex, TC 22/3720 (4) Vellayambalam, Sasthamangalam PO, Thiruvananthapuram, Kerala - 695010	6238811801 / 0471-2551141

You can also reach us at

Region	Branch	Tel
	Kolkata	033-46021880
	Bhubaneshwar	0674-2430240
East	Siliguri	9836065812
	Guwahati	8135846661/7575900492
	Ranchi	9576038118
	Mumbai	022-40647500
	Thane	022-25867600 / 666
West	Pune	020-41301164 / 31
west	Ahmedabad	079-48480010
	Raipur	0771-4919129
	Indore	0731-4007441
	Jalandhar	0182-4505038 / 39
	Chandigarh	0172-4697100
	Delhi	011-49526600
North	Jaipur	0141-2368329
	Lucknow	0522-2721699
	Varanasi	0542-2222620
	Patna	9576038781
	Bengalure	080-22246841/42
	Hyderabad	040-29802270 / 71 / 72
	Vijayawada	9666429666
	Vishakhapatnam	0891-2796376
	Tirupati	9121228960
South	Kochi	0484-4871277/ 4098555
South	Kozhikode	0495-2352474/ 2352752
	Thiruvananthapuram	6238811801 / 0471-2551141
	Chennai	044-28544116 / 28541881
	Coimbatore	0422-4382698 / 2210501
	Madurai	0452-4355584 / 4355594
	Trichy	9486718544

Toll Free No.: 1800-22-7484 **E-mail:** tiles.customercare@prismjohnson.in For Export Enquiries, **Email:** exports.customercare@prismjohnson.in



PRISM JOHNSON LIMITED

H & R JOHNSON (INDIA) DIVISION

Corporate Office: 7th Floor, Windsor, C. S. T. Road, Kalina, Santacruz (East), Mumbai - 400 098, India.

Tel.: +91-22-4064 7300 / 2654 7300 Website: www.hrjindia.com Registered Office: 305, Laxmi Niwas Apartments, Ameerpet, Hyderabad – 500016, Telangana, India.

Colours shown are as accurate as the limitations of the printing process will allow. Prospective customers are advised to inspect a sample of the tile before ordering. Every effort has been made to ensure accuracy of the information given. However, the Company reserves the right to change the specifications without prior notice. Sometimes, variations in shade or size may occur which is inherent to the ceramic industry. Before fixing the tiles, we urge you to read and follow the fixing instructions given on the carton box of the tiles. The Company will not take responsibility and will not accert any complaints of shade, size or planarity once the tiles have been fixed. Although every effort has been made to ascertain that all the information provided in this brochure is accurate before printing, errors may still happen. Please contact the local branch office for updated information before placing orders. The information reviewed information and place are ordered information or otherwise as a result of the information provided therein.
















QR

CODE