

Ugly stains are
now a thing of past...



60x60cm
StainFree Vitrified Tiles



Presenting Johnson Marbonite Stain-free, an improved range of vitrified tiles with significantly enhanced stain resistance and glossiness. Employing the latest vitrification techniques, Marbonite Stainfree tiles are now virtually maintenance free. All vitrified tiles come with micro pores on their surfaces. In spite of continuous cleaning, dirt particles get accumulated in these micro pores causing stubborn stains on the tile surface. The “Stainfree” technology seals the micro pores, thus limiting the chances of dirt accumulation and stains. Elimination of micro pores also enhances reflectivity of tile surface, adding to its lustre. With wide range of marble designs and whites to choose from the new Marbonite Stainfree collection is sure to take the elegance of your interiors to a new level of perfection.

60x60cm
StainFree Vitrified Tiles



Don't
forget
to live
your dream
today

I am
not
Afraid
U.

LOVE
IS THE
NEW
BLACK

BEING
PASSIONATE
IS THE
SHIT!

IF YOU DON'T
MEAN WHAT
YOU SAY
SHUT
THE HELL UP
PLEASE

bad
news
can be
good news
in
disguise

I LIKE
BORING THINGS

ASTORIA



ALZETTE



ANDROMEDA



APRICENA



ARMENIA



ASTORIA



AVEO



AVEO



BRITHO



CREMA ATHOS



EBRO



IVORY



LAVENTO



LEITHA



LEITHA



MISMOLET*



PIAVE



SABBIA*

Technical Specifications

| S.No | Property | ISO 13006 :2018 / EN 14411 Group Bla Requirement | Indian Standard IS 15622:2017 Group Bla Requirement | JOHNSON MARBONITE Value | |
|------|---|--|---|--|----------------------------|
| | Dimensions & Surface Quality | Whichever is less | Rectified edge | | |
| 1 | Deviation in Length & Width | ± 0.3% or ±2.0mm | ± 0.1 % | ± 0.1% | ISO 10545-2 / IS 13630-1 |
| 2 | Deviation in Thickness | ± 5% or ±0.5mm | ± 5 % | ± 4% | ISO 10545-2 / IS 13630-1 |
| 3 | Straightness of Sides | ± 0.3% or ±0.8mm | ± 0.1 % | ± 0.1% | ISO 10545-2 / IS 13630-1 |
| 4 | Rectangularity | ± 0.3% or ±1.5mm | ± 0.1 % | ± 0.1% | ISO 10545-2 / IS 13630-1 |
| 5 | Surface Flatness (Edge Curvature, Centre Curvature & Warpage) | ± 0.4% or ±1.8mm | ± 0.5 % | ± 0.15% | ISO 10545-2 / IS 13630-1 |
| 6 | Surface Quality | Min 95% free from visible defects | Min 95% free from visible defects | >95% free from visible defects | ISO 10545-2 / IS 13630-1 |
| | Physical Property | | | | |
| 7 | Water Absorption | ≤ 0.5% | Average ≤0.08%, Individual Max 0.1% | ≤ 0.05% | ISO 10545-3/ IS 13630- 2 |
| 8 | Modulus of Rupture | ≥ 35 N/mm ² | Average 35 N/mm ² , Individual 32N/mm ² , Min | ≥ 38N/mm ² | ISO 10545-4/ IS 13630-6 |
| 9 | Breaking Strength | ≥ 1300 N | Min1300 N | ≥ 1500 N | ISO 10545-4 / IS 13630-6 |
| 10 | Moisture expansion | report value | 0.02 mm/m, Max | ≤ 0.02 mm/m | ISO 10545-10 / IS 13630-3 |
| 11 | Scratch hardness of surface (Moh's scale) | Not Required | 5, Min | ≥ 5 | IS 13630 -13 |
| 12 | Coefficient of Linear Thermal Expansion | report value | Max, 6 x 10 ⁻⁶ K ⁻¹ | ≤ 6 x 10 ⁻⁶ K ⁻¹ | ISO 10545-8/ IS 13630-4 |
| 13 | Thermal Shock Resistance | report result | 10 cycles Min | No Damage | ISO 10545-9 / IS 13630 -5 |
| 14 | Impact Resistance | report value | 0.55, Min | ≥ 0.55 | ISO 10545-5 / IS 13630-14 |
| 15 | Slip Resistance for Floor Application | report value | Manufacturer to declare | ≥0.4 | ANSI B101.3 |
| 16 | Frost Resistance | report result | required if requested by purchaser | No Damage | ISO 10545-12 / IS 13630-10 |
| 17 | Resistance to Deep Abrasion of Unglazed Tiles | ≤ 175 mm ³ | Max 140 mm ³ | ≤ 140mm ³ | ISO 10545- 6 / IS 13630-12 |
| 18 | Bulk Density (g/cc) | report value | 2.2, Min | ≥ 2.2 | ISO 10545-3 / IS 13630-2 |
| 19 | Color Resistance to UV light | report result | - | No change in color | DIN 51094 |
| 20 | Chemical Property (cleansers except to cleansing agents containg Hydrofloric acids and its compounds) | | | | |
| a | Resistance to Staining - Unglazed Tiles | report resistance class | Class 2, Min | Class 3 (ISO) /Class 2 (BIS) | ISO 10545-14 / IS 13630-7 |
| b | Resistance to Household Chemicals and Swimming Pool water cleansers - Unglazed tiles | UB | report resistance class | UA | ISO 10545-13 / IS 13630-7 |
| c | Resistance to acids and alkalis (Unglazed Tiles) | report resistance class | report resistance class | UA | ISO 10545-13 /IS 13630 -7 |

*ISO / IS technical specifications for Johnson tiles are applicable only for premium /1st Quality tile
Please inspect all tiles prior to installation, company will not entertain any complaints once tiles are laid / fixed

Packing Details

| Product | Nominal Size (cm) | No of Tiles/Box | Approx Area/Box (sq m) | Approx Weight/Box (kgs) | Approx Cartons/ 20' Container | Approx Area per Container (sq m) |
|-----------------|-------------------|-----------------|------------------------|-------------------------|-------------------------------|----------------------------------|
| Marbonite 60x60 | 60x60 | 4 | 1.44 | 24.5 | 1102 | 1587 |

Exclusive Company Experience Centres

| Location | Address | Tel. |
|--------------------|---|---------------------------|
| Kolkatta | HOUSE OF JOHNSON - 83 JBS Haldane Avenue, TOPSIA Trinity towers Kolkata - 700046 | 033-46021880 |
| Guwahati | HOUSE OF JOHNSON - 1st Floor, Above Royal Riders Honda, Near Rahul Kata, Pub Bragaon, Garchuk, Guwahati - 781035 | 8135846661/7575900492 |
| Bhubaneshwar | HOUSE OF JOHNSON - 229/5332, Gautam Nagar, 1st Floor Bhubaneshwar, Orissa - 751014.229/5332, Gautam Nagar, Bhubaneshwar - 751014 | 0674-2430240 |
| Thane | HOUSE OF JOHNSON - Shop No.5, Gr.Floor, Cosmos Jewels, Near Dmart, Anand Nagar, Ghodbunder Road, Thane West - 400615 | 8424003247 |
| Pune | HOUSE OF JOHNSON - Sable House, Poona Snuff Factory, Sr. No 11A, Plot 408/4/5, Satara Road, Gultekadi, Pune - 411037 | 7350009364 |
| Mumbai - Andheri | HOUSE OF JOHNSON - 1st flr, Bonanza, Sahar Plaza, Nr Hotel Kohinoor continental, J B Nagar, Andheri Kurla Road, Andheri East, Mumbai - 400059 | 8108030975 |
| Ahmedabad | HOUSE OF JOHNSON - F 106-107, Shivalik Plaza, IIM Road, Panjrapole Cross Road, Ahmedabad, Gujarat - 380015 | 079-48480010 |
| Indore | HOUSE OF JOHNSON - Shop No 5, 6, 7 and 8, Upper Ground Floor, Exotica, Shalimar Township, Village Niranjanpur, A.B. Road, Indore, Madhya Pradesh - 452001 | 0731-4988340/4007441 |
| Raipur | HOUSE OF JOHNSON - 2nd Floor, MM Silver Plaza,Opp Udyog Bhawan, Ring Road - 1, Raipur, Chattisgarh - 492001 | 7714919129 |
| Lucknow | HOUSE OF JOHNSON - 1st Floor, Prithvi Ratan Height,Plot No CP-4, Vijayant khand - 3, Gomtinagar Yojna, Lucknow - 226028 | 0522-2721699 |
| Chandigarh | HOUSE OF JOHNSON - SCO 214, sector14, Panchkula, Haryana - 134109 | 0172-4691000 |
| Varanasi | HOUSE OF JOHNSON - Ashakunj, 1st floor, D59/103 D4, Opp Siddharth Complex, Sigra Mehmoorganj Road, Varanasi - 221010 | 0542-2222620 |
| Delhi | HOUSE OF JOHNSON - First & Mezzanine Floor, B-1/G-3, Mohan Industrial Estate,Mathura Road, New Delhi - 110094. | 9319244955 |
| Coimbatore | HOUSE OF JOHNSON - Elysium Towers, Park Gate Rd, No. 21, ATT Colony, Gopalapuram, Coimbatore - 641018 | 0422-4382698 |
| Chennai | HOUSE OF JOHNSON - 82, 84 & 86 Bascon Maeru, 1st floor, Kodambakkam High Road, Nungambakkam, Chennai - 600034 | 044-48611632 |
| Kochi | HOUSE OF JOHNSON - oor no. 11/300 f, Next to VTJ Hyundai, NH 47 Kundanoor, Maradu, Kochi, Ernakulam - 682304 | 0484-4871277/ 4098555 |
| Kozhikode | HOUSE OF JOHNSON - Tilal Tower, Near Nexa Showroom, Kudilthod, Malaparamba bypass,, Kozikode, Kerala - 673017 | 0495-2352474/ 2352752 |
| Thiruvananthapuram | HOUSE OF JOHNSON -1st Floor, Sreedhanya Apex, TC 22/3720 (4) Vellayambalam, Sasthamangalam PO, Thiruvananthapuram, Kerala - 695010 | 6238811801 / 0471-2551141 |

You can also reach us at

| Region | Branch | Tel |
|--------|--------------------|---------------------------|
| East | Kolkata | 033-46021880 |
| | Bhubaneshwar | 0674-2430240 |
| | Siliguri | 9836065812 |
| | Guwahati | 8135846661/7575900492 |
| | Ranchi | 9576038118 |
| West | Mumbai | 022-40647500 |
| | Thane | 022-25867600 / 666 |
| | Pune | 020-41301164 / 31 |
| | Ahmedabad | 079-48480010 |
| | Raipur | 0771-4919129 |
| | Indore | 0731-4007441 |
| North | Jalandhar | 0182-4505038 / 39 |
| | Chandigarh | 0172-4697100 |
| | Delhi | 011-49526600 |
| | Jaipur | 0141-2368329 |
| | Lucknow | 0522-2721699 |
| | Varanasi | 0542-2222620 |
| | Patna | 9576038781 |
| South | Bengalure | 080-22246841/42 |
| | Hyderabad | 040-29802270 / 71 / 72 |
| | Vijayawada | 9666429666 |
| | Vishakhapatnam | 0891-2796376 |
| | Tirupati | 9121228960 |
| | Kochi | 0484-4871277/ 4098555 |
| | Kozhikode | 0495-2352474/ 2352752 |
| | Thiruvananthapuram | 6238811801 / 0471-2551141 |
| | Chennai | 044-28544116 / 28541881 |
| | Coimbatore | 0422-4382698 / 2210501 |
| | Madurai | 0452-4355584 / 4355594 |
| Trichy | 9486718544 | |

Toll Free No.: 1800-22-7484 **E-mail:** tiles.customercare@prismjohnson.in
For Export Enquiries, **Email:** exports.customercare@prismjohnson.in



PRISM JOHNSON LIMITED

H & R JOHNSON (INDIA) DIVISION


Corporate Office: 7th Floor, Windsor, C. S. T. Road, Kalina, Santacruz (East),
Mumbai - 400 098, India.

Tel.: +91-22-4064 7300 / 2654 7300 Website: www.hrjindia.com

Registered Office: 305, Laxmi Niwas Apartments, Ameerpet, Hyderabad - 500016,
Telangana, India.

QR
CODE

Colours shown are as accurate as the limitations of the printing process will allow. Prospective customers are advised to inspect a sample of the tile before ordering. Every effort has been made to ensure accuracy of the information given. However, the Company reserves the right to change the specifications without prior notice. Sometimes, variations in shade or size may occur which is inherent to the ceramic industry. Before fixing the tiles, we urge you to read and follow the fixing instructions given on the carton box of the tiles. The Company will not take responsibility and will not accept any complaints of shade, size or planarity once the tiles have been fixed. Although every effort has been made to ascertain that all the information provided in this brochure is accurate before printing, errors may still happen. Please contact the local branch office for updated information before placing orders. The information contained in this catalogue is given in good faith. The Company takes no liability on account of any loss or damage either consequential or otherwise as a result of the information provided therein.



BRO1121VXM002-CC Cat/Marbonite/VJWD/SS Fir 60x60cm/Nov'21